

# Outdoor Power IP Rated Accessories

Safe and robust IP rated temporary outdoor power solutions - ideal for all garden power applications

#### Outdoor Power



Case Reels



Extension Leads



Weatherproof Box



**RCD** Protection

Garden Extension Leads	177
Lead Accessories	177
RCD Protection	177
Weatherproof Box	177
In-line Socket	178
IP Rated Leads & Reels	178



Thermal cut-out protection

IP54 rated in use

Convenient & safe temporary outdoor power sockets

High visibility orange cable



# Outdoor Power

	Description			Cable Length	Colour	Outer Carto
Garden <u>Ex</u>	tension Leads					
CT1513	One gang extension lead on cable	tidy		15 metre 1.25mm <sup>2</sup> 3 core	Orange	4
30G100	One gang heavy duty lead			10 metre 1.0mm <sup>2</sup> 3 core	Orange	5
4			<ul> <li>Manufactured to BS13</li> <li>2 pin connector leads i equipment</li> </ul>	63 / A ideal for use with lawn mov	wers or similar	
	CT1513	BOG100				
	ad Accessories					
CT100	Cable tidy only				Black	10
		5	or 20 metres of 10 amp	p 1.0mm <sup>2</sup> three core cable		
	CT100	•				
Cat No.						Outer Carto
	CT100 Description ing In-Line Rcd					Outer Carto
Cat No. <mark>Non Latch</mark> LRCDNG	Description					Outer Carto
Non Latch	Description ing In-Line Rcd		<ul> <li>IP65 rated</li> <li>Added protection agair</li> <li>Maximum load 3120 w (typical) double pole co</li> <li>Manufactured to BS 70</li> </ul>	vatts 240V AC 30 milli-amp ontact break	trip speed 40 milli	10

177

Active (non latching) - RCD's switch off if power to them is turned off. Every time the supply to the RCD is interrupted it will trip and will need to be reset.

#### Weatherproof Box

WBX	Weatherproof box		2
	Contraction of the second seco	<ul> <li>Ideal for use with outdoor or lighting &amp; power supplies</li> <li>IP54 rated in use</li> <li>Suitable for use with up to 4 socket extension leads, with socket fixing</li> <li>5 cable outlets, with two optional M20 gland points</li> <li>Fits bulky large adaptors, transformers &amp; timers</li> </ul>	kit supplied

# Outdoor Power

P Bated E	Description		Cable Length	Colour	Display	Outer Carton
	xtension Leads					
CT1513P/IPS			15 metre	Orange	Card wrap/SRP	4
PGS15/2	13 amp garden spike with two weatherproof socke	ts	15 metre	Orange	Printed box/SRP	4
1			<ul> <li>IP54 rated in use</li> <li>Convenient &amp; safe DIY tools or garde</li> <li>Manufactured to E</li> </ul>	n equipment	r power sockets, ideal fi	or use with
	CT1513P/IPS IPG	S15/2				
		1	I	L.,	1	I
Cat No.	Description	Cable Length	Amperage	Number of Sockets	Plug Type	Outer Carton
P Rated C		20 metre	13 amp	2	13 amp	4
				temporary outdoo	r Dower Sockets. Ideal 10	or use with DIY tool
	HLP2013/2IP		Manufactured to E	ent	r power sockets, idear i	or use with DIY tool:
Rewireable PS	Kurrent       Kurrent         Kurrent       Kurrent		or garden equipme	SEN61242		or use with DIY tool

178