



# electrical accessories

make the right connection

# Contents

## WORKPOWER

Leads & Reels  
Pages 2 - 9



Tough and dependable work power solutions - ideal for the use with power tools, portable lighting and in the workshop

## OUTDOORPOWER


IP Rated Accessories  
Pages 10 - 12



Safe and robust IP rated temporary outdoor power solutions - ideal for all garden power applications and workshop applications

## INDOORPOWER

Leads & Accessories  
Pages 13 - 27



A wide range of indoor power solutions - ideal for the home, the office and travelling

## WORKPOWER

## Features



Cable Reels



Case Reels



Plugs, Adaptors & Trailing Sockets



RCD Protection

Heavy Duty Plugs	3
Trailing Sockets	3
In Line Connectors	4
Extension Leads	5
Cassette Reels	6
Cable Reels	7
RCD Protection	8
110v Site Equipment	9



Including 110v  
Site Equipment

Page 9

Cable & case reels, Extension lead, Transformer, Adaptors, plugs & sockets

Thermal Cut-out Protection



All Masterplug cassette, cable and case reels incorporate safety Thermal Cut-out Protection. This feature cuts the power in overload situations. Once cooled, the switch can be reset to return power



# Work Power

Cat No.	Description	Colour	Inner Carton	Outer Carton
<b>Heavy Duty Plugs</b>				
HDPT13B	Heavy duty plug, 13A	Black	10	100
HDPT13O	Heavy duty plug, 13A	Orange	10	100
HDPT13W	Heavy duty plug, 13A	White	10	100
HDPT15B	Heavy duty 15A round pin plug with sleeved pins	Black	10	100

- Manufactured to BS 1363 / A (13A)
- Manufactured to BS 546 (15A)
- Supplied in counter display box
- Supplied with 13A fuse to BS1362
- Heavy duty construction



<b>One Gang 13 Amp Trailing Sockets</b>				
ELS13B	One gang trailing socket	Black	10	100
ELS13O	One gang trailing socket	Orange	10	100
ELS13W	One gang trailing socket	White	10	100

- Manufactured to BS1363 / A
- Supplied in counter display box
- Heavy duty construction



<b>Two Gang 13 Amp Trailing Sockets</b>				
ELS132B	Two gang trailing socket	Black	1	50
ELS132O	Two gang trailing socket	Orange	1	50
ELS132W	Two gang trailing socket	White	1	50

- Manufactured to BS1363 / A
- Supplied in counter display box
- Heavy duty construction
- Sockets with wall mount option



# Work Power

Cat No.	Description	Colour	Inner Carton	Outer Carton
<b>Four Gang 13 Amp Trailing Sockets</b>				
ELS134B	Four gang trailing socket with power indicator	Black	1	25
ELS134O	Four gang trailing socket with power indicator	Orange	1	25
ELS134W	Four gang trailing socket with power indicator	White	1	25

- With replaceable fuse
- Manufactured to BS1363 / A
- Supplied in counter display box
- Power indicator
- Heavy duty construction
- Sockets with wall mount option
- Supplied with 13A fuse fitted



<b>5 Amp / 15 Amp Trailing Sockets</b>				
ELS15B	One gang heavy duty 15 amp round pin trailing socket	Black	10	100
ELS5B	One gang heavy duty 5 amp round pin trailing socket	Black	10	100

- Manufactured to BS546



<b>10 Amp In Line Connectors</b>				
NC102B	Two round pin 10 amp connector (reversible)	Black	10	100
NC102O	Two round pin 10 amp connector (reversible)	Orange	10	100
NC103B	Three round pin 10 amp connector (non reversible)	Black	10	100
NC103W	Three round pin 10 amp connector (non reversible)	White	10	100

- Manufactured to BS 5733
- Supplied in counter display box



Cat No.	Description	Pins	Colour	Outer Carton
<b>10 Amp In Line Connector Halves</b>				
NC102PO	Plug Side	Two Pin	Orange	250
NC102SO	Socket Side	Two Pin	Orange	250
NC102PB	Plug Side	Two Pin	Black	250
NC102SB	Socket Side	Two Pin	Black	250
NC103PW	Plug Side	Three Pin	White	250
NC103SW	Socket Side	Three Pin	White	250
NC103PB	Plug Side	Three Pin	Black	250
NC103SB	Socket Side	Three Pin	Black	250

• Manufactured to BS 5733



Cat No.	Description	Cable Length	Display	Colour	Outer Carton
<b>One Gang 13 Amp Extension Leads</b>					
EXS1315B	One gang heavy duty lead	5 metre	bag	Black	10
EXS1315O	One gang heavy duty lead	5 metre	bag	Orange	10
EXS1315W	One gang heavy duty lead	5 metre	bag	White	10
EXS13110B	One gang heavy duty lead	10 metre	bag	Black	10
EXS13110O	One gang heavy duty lead	10 metre	bag	Orange	10
EXS13110W	One gang heavy duty lead	10 metre	bag	White	10

• Manufactured to BS1363 / A  
• 1.25mm<sup>2</sup> cable

• Heavy duty construction  
• Sockets with wall mount option



Cat No.	Description	Cable Length	Display	Colour	Outer Carton
<b>Two Gang 13 Amp Extension Leads</b>					
EXS1324B	Two gang heavy duty lead	4 metre	bag	Black	10
EXS1324O	Two gang heavy duty lead	4 metre	bag	Orange	10
EXS1324W	Two gang heavy duty lead	4 metre	bag	White	10

• Manufactured to BS1363 / A  
• 1.25mm<sup>2</sup> cable  
• Heavy duty construction  
• Sockets with wall mount option



Cat No.	Description	Cable Length	Display	Colour	Outer Carton
<b>Four Gang 13 Amp Extension Leads</b>					
EXS1342B	Four gang heavy duty lead	2 metre	bag	Black	10
EXS1342O	Four gang heavy duty lead	2 metre	bag	Orange	10
EXS1342W	Four gang heavy duty lead	2 metre	bag	White	10
EXS1344B	Four gang heavy duty lead	4 metre	bag	Black	10
EXS1344O	Four gang heavy duty lead	4 metre	bag	Orange	10
EXS1344W	Four gang heavy duty lead	4 metre	bag	White	10

• With power neon indicator and replaceable fuse  
• 1.25mm<sup>2</sup> cable  
• Manufactured to BS1363 / A

• Heavy duty construction  
• Sockets with wall mount option



Cat No.	Description	Amperage	Number of sockets	Plug Type	Outer Carton
<b>Small Cassette Reels</b>					
SCT0410/2BL	4 metre	10 amp	2	10 amp	10
SCT0413/4W	4 metre, white	13 amp	4	13 amp	5
SCT0510/4BL	5 metre	10 amp	4	10 amp	5

• Thermal cut-out protection  
• Manufactured to BSEN61242



Cat No.	Description	Amperage	Number of sockets	Plug Type	Outer Carton
<b>Medium Cassette Reels</b>					
MCT0813/4BL	8 metre	13 amp	4	13 amp	10
MCT1010/4BL	10 metre	10 amp	4	10 amp	10

• Thermal cut-out protection  
• Manufactured to BSEN61242



# Work Power

Cat No.	Description	Amperage	Number of sockets	Plug Type	Outer Carton
<b>Large Cassette Reels</b>					
LCT1213/4BL	12 metre	13 amp	4	13 amp	10
LCT1510/4BL	15 metre	10 amp	4	10 amp	10



- Thermal cut-out protection
- Manufactured to BSEN61242
- If a 10A reel - fitted with a 10 amp plug

Cat No.	Description	Amperage	Number of sockets	Plug Type	Inner Carton
<b>Case Reels</b>					
HST1613/4BL	16 metre	13 amp	4	13 amp	6
HST1510/2BL	15 metre	10 amp	2	10 amp	2
HBT2013/4BL	20 metre	13 amp	4	13 amp	6
HBT2013/4BLRCD	20 metre	13 amp	4	RCD	6
HBT2513/4BL	25 metre	13 amp	4	13 amp	6

- Thermal cut-out protection
- Manufactured to BSEN61242



Cat No.	Description	Amperage	Number of sockets	Plug Type	Inner Carton
<b>Open Cable Reels</b>					
MOC2010/2BL	20 metre small reel	10 amp	2	10 amp	3
LDCC2510/2BL	25 metre medium reel	10 amp	2	10 amp	2
LDCC2513/4BL	25 metre medium reel	13 amp	4	13 amp	1
LDCC2513/4BLRCD	25 metre medium reel	13 amp	4	RCD	1
LDCC3013/4BL	30 metre medium reel	13 amp	4	13 amp	1
HDCC4013/4BL	40 metre large reel	13 amp	4	13 amp	1
HDCC4010/4BL	40 metre large reel	10 amp	4	13 amp	1
HDCC5013/4BL	50 metre large reel	13 amp	4	13 amp	1

- Thermal cut-out protection
- Strong zinc plated steel frame
- Manufactured to BSEN61242



# Work Power

Cat No.	Description	Amperage	Number of sockets	Plug Type	Inner Carton
<b>Universal Cable Reels (Export Only)</b>					
SOT0510/4UNBL	5 metre small cassette reel	10 amp	4	13 amp	2
MCT1010/4UNBL	10 metre medium cassette reel	10 amp	4	13 amp	1
SOC1513/4UNBL	15 metre small open reel	13 amp	4	13 amp	1



- Thermal cut-out protection
- Strong zinc plated steel frame
- Power indicator

Cat No.	Description	Inner Carton
<b>Non-Latching Rcd Safety Adaptor</b>		
ARCDKG	RCD safety adaptor	10



- 13 amp fused
- Added protection against fatal electric shocks
- Maximum load 3120 watts 240V AC 30 milli-amp trip speed 40 milli-seconds (typical) double pole contact break
- Manufactured to BS 7071 1992t

There are two types of RCD's: active & passive, also termed latching & non latching. Both types are accepted by British Standards and it is up to the user to choose the type of RCD that is most suitable for their application.

- **Active (non latching)** - RCD's switch off if power to them is turned off. Every time the appliance is turned off, the RCD will trip & have to be reset by going to the socket.
- **Passive (latching)** - RCD's "remember" what state they were in prior to the power being switched off. On the resumption of the power, the power will then continue to be supplied to the appliance, & the RCD does not need to be reset.



# Site Power

Cat No.	Description	Amperage	Number of sockets	Plug Type	Inner Carton
<b>110 Volt Cable Reel</b>					
LVCT2516/2	25 metre	16 amp	2	110 volt	1
LVCT5016/2	50 metre	16 amp	2	110 volt	1



- Thermal cut-out prevents risk of fire due to temperature rise caused by power overload
- Strong, robust stand
- Power neon indicator
- Fitted with 1.5mm<sup>2</sup> 16 amp yellow cable
- Manufactured to BS EN 61242 & BS EN 60309

Cat No.	Description	Amperage	Number of sockets	Plug Type	Inner Carton
<b>110 Volt Case Reel</b>					
LVHLT2516/2	25 metre	16 amp	2	110 volt	1



- Thermal cut-out prevents risk of fire due to temperature rise caused by power overload
- Robust case
- Power neon indicator
- Fitted with 1.5mm<sup>2</sup> 16 amp yellow cable
- Manufactured to BS EN 61242 & BS EN 60309

Cat No.	Description	Inner Carton
<b>110 Volt Extension Lead</b>		
LVIL15	In-line 110V plug & socket with cable tidy, 15 metre	4



- Manufactured to BS EN 60309
- Fitted with 1.5mm<sup>2</sup> 16 amp yellow cable

Cat No.	Description	Inner Carton
<b>110 Volt Multi-Socket Adaptor</b>		
LVMS3	16A low voltage 3-way multi-socket	6



- Manufactured to BS EN 60309

## OUTDOORPOWER

## Features



Case Reels



Extension Leads



Weatherproof Box



RCD Protection

Garden Extension Leads	11
Lead Accessories	11
RCD Protection	11
Weatherproof Box	11
In-line Socket	12
IP Rated Leads & Reels	12




Thermal cut-out protection

IP54 rated in use

Convenient & safe temporary outdoor power sockets

High visibility orange cable



# Outdoor Power

Cat No.	Description	Cable Length	Colour	Outer Carton
<b>Garden Extension Leads</b>				
CT1513	One gang extension lead on cable tidy	15 metre 1.25mm <sup>2</sup> 3 core	Orange	4
BOG100	One gang heavy duty lead	10 metre 1.0mm <sup>2</sup> 3 core	Orange	5



- Manufactured to BS1363 / A
- 2 pin connector leads ideal for use with lawn mowers or similar equipment

Cat No.	Description	Colour	Outer Carton
<b>Garden Lead Accessories</b>			
CT100	Cable tidy only	Black	10



- Stores up to 15 metres of 13 amp 1.25mm<sup>2</sup> or 20 metres of 10 amp 1.0mm<sup>2</sup> three core cable

Cat No.	Description	Outer Carton
<b>Non Latching In-Line Rcd</b>		
ILRCDNG	Inline safety RCD	10



- IP65 rated
- Added protection against fatal electric shocks
- Maximum load 3120 watts 240V AC 30 milli-amp trip speed 40 milli-seconds (typical) double pole contact break
- Manufactured to BS 7071 1992

Active (non latching) - RCD's switch off if power to them is turned off. Every time the appliance is turned off, the RCD will trip & have to be reset.

Cat No.	Description	Outer Carton
<b>Weatherproof Box</b>		
WBX	Weatherproof box	2



- Ideal for use with outdoor or lighting & power supplies
- IP54 rated in use
- Suitable for use with up to 4 socket extension leads, with socket fixing kit supplied
- 5 cable outlets, with two optional M20 gland points
- Fits bulky large adaptors, transformers & timers

# Outdoor Power

Cat No.	Description	Cable Length	Colour	Display	Outer Carton
<b>IP Rated Extension Leads</b>					
CT1513P/IPS	13 amp extension lead with in-line weatherproof socket	15 metre	Orange	Card wrap/SRP	4
IPGS15/2	13 amp garden spike with two weatherproof sockets	15 metre	Orange	Printed box/SRP	4



- IP54 rated in use
- Convenient & safe temporary outdoor power sockets, ideal for use with DIY tools or garden equipment
- Manufactured to BS1363/2

Cat No.	Description	Cable Length	Amperage	Number of Sockets	Plug Type	Outer Carton
<b>IP Rated Case Reel</b>						
HLP2013/2IP	Case reel with two weatherproof sockets	20 metre	13 amp	2	13 amp	4



- Thermal cut-out Protection
- IP54 rated in use
- Convenient & safe temporary outdoor power sockets, ideal for use with DIY tools or garden equipment
- Manufactured to BSEN61242

Cat No.	Description	Outer Carton
<b>Rewireable Weatherproof In-Line Socket</b>		
IPS	Weatherproof in-line socket	6



- 13A rewireable temporary outdoor power socket
- IP54 rated in use
- Suitable for use with PVC or Rubber 3 core 1.25mm<sup>2</sup> to 1.5mm<sup>2</sup> round profile flexible cable to BS6500
- Manufactured to BS1363-2



Plugs, Adaptors & Timers



Night Lights & Travel Power



Trailing Sockets & Extension Leads



Surge Protection

Plugs, Travel	14
Adaptors, Timers	15
Night Lights	17
Fuses	18
RCD Protection	19
Trailing Sockets	20
Extension Leads	21
Surge Protection	23
USB Surge	25
Energy Saving	27



### Includes the USB Surge range:

#### Surge Protection

Protects valuable equipment against damaging surges and spikes

#### USB Charging

Charge your iPhone, iPod, mobile phone, MP3 player, camera or any other device with USB charging facility

#### Unlimited Guarantee

We will replace ANY equipment that is damaged by a surge or spike whilst connected to the mains by our equipment

Cat No.	Description	Inner Carton	Outer Carton
<b>Plugs 13 Amp</b>			
PT13W	13A white plug fitted 13 amp fuse	20	200
PT13B	13A black plug fitted 13 amp fuse	20	200
PT133W	13A white plug fitted 3 amp fuse	20	200
PT135W	13A white plug fitted 5 amp fuse	20	200
7B	13 amp heavy duty plug fitted with 13 amp fuse, black	20	200
7W	13 amp heavy duty plug fitted with 13 amp fuse, white	20	200
PT13HW	13 A white plug with handle fitted 13 amp fuse	12	120
SC13/5	Pack of 5 socket covers for 13 amp sockets	10	10
P41	Multi plug allowing four appliances to be hard wired into one 13 amp plug, 13 amp fused	10	10

- Sleeved pins: Extruded from solid brass with brass slotted head terminal screws for a conductor size of 1.5mm maximum
- 13 amp at 250V AC.
- Manufactured to BS1363/A
- P41 - Manufactured to BS 5733



Cat No.	Description	Inner Carton	Outer Carton
<b>Plugs 2-15 Amp</b>			
PT2W	2 amp round pin plug sleeved pins	20	200
PT5W	5 amp round pin plug sleeved pins	20	200
PT15W	15 amp round pin plug sleeved pins	20	200
PT5B	5 amp black round pin plug sleeved pins	20	200
HDPT15B	15 amp black round pin plug sleeved pins	10	100

- Manufactured to BS546
- Sleeved pins



Cat No.	Description	Inner Carton
<b>Travel Adaptors</b>		
TAEUR	UK to European travel adaptor	10
TACOM	Combined travel adaptors - UK to Europe & UK to USA/AUS/Japan supplied together with a clear case	10
TAVUK	Visitor to UK travel adaptor	10
TASRG	Surge protected world-wide travel adaptor, with surge indicator	10

- Manufactured to BS1363 & BS5733





# Indoor Power

Cat No.	Description	Inner Carton
<b>Adaptors</b>		
MSU2/NK	2-way adaptor, unfused	20
MSF3/NK	3-way adaptor, fused	20
MS16L	UK plug type, 3 way adaptor with Universal and 2 round pin sockets, 10A Rated	10
MS15L	15A plug type, 3 way adaptor with Universal and 2 round pin sockets, 10A Rated	10
SHADC	Shaver adaptor, fused*	20
MSWG3	3-way 13A individually switched adaptor with power neon indicators, fused	10

- Manufactured to BS1363
- Shaver adaptor - to fit 13 amp 250V socket. \*Fitted with 1 amp fuse to BS646 for electric shavers only
- Sleeved pins: Extruded from solid brass firmly rivetted to contact



<b>Timers</b>		
TM24	24 hour mechanical segment timer with switch & power neon indicator	10
TM24/3	Triple Pack - 24 hour mechanical segment timer with switch & power neon indicator	5
TCP24	24 hour compact mechanical pin timer with switch & power neon indicator	10
TM7	7 day mechanical segment timer with switch & power neon indicator	10
TE7	24 hour / 7 day programme electronic timer with random function & power neon indicator	10
TMIH24	24 hour mechanical segment timer with switch & power neon indicator, ideal for use with immersion heaters	5
TEIH7	24 hour / 7 day programmable electronic timer with power neon indicator, ideal for use with immersion heaters	10
TDD	Dusk-till-Dawn adaptor, control your connected lighting with multiple functions, timer mode, random mode & dusk-till-dawn	10

- Manufactured to BS1363 & BS EN 60370



<b>Mains Multi Voltage Adaptor</b>		
MVA1200	1200mA multi voltage adaptor, switchable from 3 to 12V DC, complete with 7 adaptors	10



- Fully regulated power supply to BS EN 60950
- Output voltage: 3 - 12V DC
- Input voltage 220-240V AC

# Indoor Power


Cat No.	Description	Inner Carton
<b>Telephone Extension Reeler / Kit - Micro Flat 'Invisible'</b>		
TEL11	15 metre compact extension reeler	8



<b>Telephone Extension Kits - Standard Cable</b>		
TEL12	10 metre extension kit	4
TEL18	20 metre extension kit	4



<b>Telephone Accessories</b>		
TEL35	Cable clips, pack of 50	5



<b>Telephone Adaptors</b>		
TEL1	Double adaptor, 1 to 2 outputs	5
TEL3	Triple adaptor, 1 to 3 outputs	5
TEL67	ADSL adaptor, filtered with phone & modem outputs	5



# Indoor Power

Cat No.	Description	Inner Carton
<b>Night Lights</b>		
NLTD/2	Tear drop shape night light dusk-till-dawn operation, white - twin pack	10
NLDD/2	Directional night light, with rotating cover, dusk-till-dawn, white - twin pack	10
NLPT/2	Plug-through light, dusk-till-dawn, white - twin pack	10
GL1/2	Plugs into any available 13 amp socket to provide a soft glow light, white. Glow light - twin pack.	10
DDLH	Dusk-till-Dawn lamp holder adaptor	5
NLPIR/2	Motion detector LED night light	10

- Provides a soft background light
- All night lights fitted with LED bulbs, for low energy consumption, long life & no hot lamps
- Manufactured to BS1363 & BS EN 60598 and BS 5733 where applicable




<b>Lighting Accessories</b>		
RPL1	Round push light, battery operated	10

- Manufactured to BS EN61184 where applicable



<b>In-Line Switches</b>		
TPS2B	2 amp, black	10
TPS2W	2 amp, white	10


- Allows switching of table lamps
- 2 Amp Rating
- Easy to install



# Indoor Power

Cat No.	Description	Inner Carton
<b>Fuses</b>		
FUSE13	Pack of 4 x 13 amp fuses on card	30
FUSE10	Pack of 4 x 10 amp fuses on card	30
FUSE3	Pack of 4 x 3 amp fuses on card	30
FUSE5	Pack of 4 x 5 amp fuses on card	30
FUSEM	Pack of 4 mixed fuses on card: 2 x 13 amp, 1 x 3 amp, 1 x 5 amp	30
FUSEM10	Pack of 10 mixed fuses on card: 4 x 13 amp, 3 x 5 amp, 3 x 3 amp	30
FUSE1/2	Pack of 2 x 1 amp fuses (BS646)	30
FUSEW	Fuse wire 0.5 metre of 5A, 15A & 30A	30

- Manufactured to BS1362, or BS646 where applicable



<b>Battery Operated Door Chime</b>		
DC1	Wire free, battery operated door chime	6

- Choice of 8 sounds
- 64 radio frequency channels available to avoid interference
- 50 metre working range
- Includes 12v 23A battery for bell push
- Easy installation
- Requires 3 x 4.5v AA batteries not included
- Visual indicator that illuminates on operation



<b>Mains Wire Free Door Chime</b>		
DC2	Wire free mains plug in door chime	6

- Choice of 8 sounds
- 64 radio frequency channels available to avoid interference
- Includes 12v 23A battery for bell push
- 100 metre working range
- Visual indicator that illuminates on operation



# Indoor Power

Cat No.	Description	Inner Carton
<b>Battery Powered Smoke Alarm</b>		
SD361HS	DC operated photo-electric smoke alarm	6



- Easy to install
- 85dB alarm
- Supplied with batteries
- Complies with BS5446 -1:2000
- Kitemarked
- Battery missing indicator
- Power operation indicator
- Low battery warning indicator

Cat No.	Description	Inner Carton
<b>Non-Latching RCD Safety Plug</b>		
PRCDKB	RCD safety plug	10



- Maximum load 3120 watts 240V AC 30 milli-amp trip speed 40 milli-seconds (typical) double pole contact break
- 13 amp fused
- Added protection against fatal electric shocks
- Manufactured to BS 7071 1992

Cat No.	Description	Inner Carton
<b>Non-Latching RCD Safety Adaptor</b>		
ARCDKG	RCD safety adaptor	4



- Maximum load 3120 watts 240V AC 30 milli-amp trip speed 40 milli-seconds (typical) double pole contact break
- Added protection against fatal electric shocks
- Manufactured to BS 7071 1992

Cat No.	Description	Inner Carton
<b>Non-Latching In-Line RCD</b>		
ILRCDNG	RCD safety adaptor	10



- Maximum load 3120 watts 240V AC 30 milli-amp trip speed 40 milli-seconds (typical) double pole contact break
- Added protection against fatal electric shocks
- Manufactured to BS 7071 1992

There are two types of RCD's: active & passive, also termed latching & non latching. Both types are accepted by British Standards and it is up to the user to choose the type of RCD that is most suitable for their application.

- **Active (non latching)** - RCD's switch off if power to them is turned off. Every time the appliance is turned off, the RCD will trip & have to be reset by going to the socket.
- **Passive (latching)** - RCD's "remember" what state they were in prior to the power being switched off. On the resumption of the power, the power will then continue to be supplied to the appliance, & the RCD does not need to be reset.

# Indoor Power


Cat No.	Description	Colour	Inner Carton
<b>13 Amp Trailing Sockets</b>			
SS	1 gang trailing socket	White	20
TN	2 gang trailing socket with power indicator	White	10
UG	4 gang trailing socket with power indicator	White	10
SXG	6 gang trailing socket with power indicator	White	10

- Manufactured from high quality ABS material
- Rewirable
- Manufactured to BS1363 / A



Cat No.	Description	Colour	Inner Carton
<b>Individually Switched 13 Amp Trailing Sockets</b>			
SWG4	4 gang trailing socket individually switched with power indicator	White	10
SWG6	6 gang trailing socket individually switched with power indicator	White	10

- Manufactured from high quality ABS material
- SWG4 + SWG6 Rewirable sockets
- Manufactured to BS1363 / A



Cat No.	Description	Colour	Inner Carton
<b>Heavy Duty 13 Amp Switched And Fused Trailing Sockets</b>			
SWFG4W	4 gang trailing socket with switch, power indicator & replaceable fuse	White	1
SWFG6W	6 gang trailing socket with switch, power indicator & replaceable fuse	White	1

- Manufactured from high quality ABS material
- Rewirable
- Manufactured to BS1363 / A





# Indoor Power

Cat No.	Description	Cable Length	Colour	Inner Carton
<b>One Gang 13 Amp Extension Leads</b>				
BOG5	1 gang	5 metre	White	15
BOG10	1 gang	10 metre	White	15



- Non Rewirable
- Manufactured to BS1363 / A

Cat No.	Description	Cable Length	Colour	Inner Carton
<b>Two Gang 13 Amp Extension Leads</b>				
BTG5	2 gang	5 metre	White	8
BTN5	2 gang with power indicator	5 metre	White	10
BTN10	2 gang with power indicator	10 metre	White	10



- Non Rewirable
- Manufactured to BS1363 / A


Cat No.	Description	Cable Length	Colour	Inner Carton
<b>Four Gang 13 Amp Extension Leads</b>				
BFG1	4 gang	1 metre	White	25
BFG2	4 gang	2 metre	White	20
BFG3	4 gang	3 metre	White	20
BFG5	4 gang	5 metre	White	10
BFG8	4 gang	8 metre	White	10



- Non Rewirable
- Manufactured to BS1363 / A

# Indoor Power

Cat No.	Description	Cable Length	Colour	Inner Carton
<b>Six Gang 13 Amp Extension Leads</b>				
BSG1	6 gang	1 metre	White	20
BSG2	6 gang	2 metre	White	15
BSG3	6 gang	3 metre	White	15
BSN2	6 gang with power indicator	2 metre	White	10



- Non Rewirable
- Manufactured to BS1363 / A

Cat No.	Description	Cable Length	Colour	Inner Carton
<b>Eight Gang 13 Amp Extension Lead</b>				
BEN2	8 gang with power indicator	2 metre	White	10



- Non Rewirable
- Manufactured to BS1363 / A

Cat No.	Description	Cable Length	Colour	Inner Carton
<b>Satellite Reel</b>				
SATT0413/4W	4 gang, 13 Amp	4 metre	White	4



- Non Rewirable
- Manufactured to BS1363 / A

Cat No.	Description	Cable Length	Colour	Inner Carton
<b>Individually Switched 13 Amp Extension Leads</b>				
SWG32C	3 gang trailing socket with power indicator	2 metre	White	4
SWC42	4 gang trailing socket with power indicator	2 metre	White	5
SWC62	6 gang trailing socket with power indicator	2 metre	White	5



- Non Rewirable
- Manufactured to BS1363 / A

# Indoor Power

Cat No.	Description	Cable Length	Colour	Inner Carton
<b>Heavy Duty 13 Amp Extension Leads Switched And Fused</b>				
SWFG44W	4 gang trailing socket with power indicator	4 metre	White	10
SWFG62W	6 gang trailing socket with power indicator	2 metre	White	10



- Rewirable
- Manufactured to BS1363 / A

<b>Decorative Extension Leads</b>				
UG2STW	4 gang, 13 Amp	2 metre	Stainless Steel	5
UG2CHW	4 gang, 13 Amp	2 metre	Polished Chrome	5



- Non Rewirable
- Manufactured to BS1363 / A


## Surge Protection Advice

Hundreds of power surges can occur in your home and office every day. The switching on/off of fluorescent lights and household appliances like refrigerators, washing machines and tumble dryers can cause power surges and spikes.

## Masterplug Surge Warranty

Confident in our 'state of the art' technology Masterplug Surge products come with a 'Connected Equipment Warranty'. In the unlikely event that a surge passes through this protection device within 3 years of purchase and damage occurs to the connected equipment, Masterplug will pay up to the amount shown on the product packaging to repair or replace the equipment. Masterplug stands by the quality of its Surge products.

<b>Surge Protected Extension Leads</b>				
SRG42	4 gang surge protected	2 metre	White	5
SRG62	6 gang surge protected	2 metre	White	5
SRG82	8 gang surge protected	2 metre	White	5
SRG44	4 gang surge protected	4 metre	White	4



- Surge protected extension leads with three channel protection and safety thermal cut-out
- £1,000 connected equipment warranty
- Non Rewirable
- Manufactured to BS EN 60950 & BS1363/A
- Power & surge neon indicators

# Indoor Power

Cat No.	Description	Colour	Inner Carton
<b>Individually Switched 13 Amp Surge Protected Adaptor</b>			
MSWRG3	3 gang surge protected	White	5



- Replaceable 13A fuse
- £1,000 connected equipment warranty
- With individual power indicators

Cat No.	Description	Cable Length	Colour	Inner Carton
<b>Individually Switched 13 Amp Surge Protected Extension Leads</b>				
SWSRG62	6 gang surge protected	2 metre	White	5



- Surge protected extension leads with three channel protection and safety thermal cut-out
- £1,000 connected equipment warranty
- Rewirable
- Manufactured to BS EN 60950 & BS1363/A
- Power & surge neon indicators

<b>13 Amp Surge Protected Power Towers</b>				
SRG102C	10 gang "tower" surge protected socket with power switch & cable guides	2 metre	White	2



- Surge protected extension leads with three channel protection and safety thermal cut-out
- £1,000 connected equipment warranty
- Manufactured to BS EN 60950 & BS1363/A
- Power & surge neon indicators

# Indoor Power

## Performance Surge Protection

- High level surge protection
- USB charging
- Power & Surge LED indicators
- Unlimited value connected equipment warranty

High performance USB chargers with surge protection





**Ideal for all these devices and more...**

- iPhone
- iPod/Mp3s
- Mobiles/PDAs

- iPad/Tablets
- Cameras

### High Gloss Surge Protectors

A range of high gloss surge protectors designed to fulfil the requirements of today's modern electronic equipment

**SURGE PROTECTION** - High performance surge protected sockets

**USB CHARGING** - USB sockets to charge your iPhone, mobile phone, iPod, MP3, camera or any other device with USB charging facility

**UNLIMITED GUARANTEE** - We will replace ANY equipment that is damaged as result of a surge or spike whilst connected to the mains by our equipment

# Indoor Power

Cat No.	Description	Colour	Display	Inner Carton
<b>USB Charger Plug</b>				
USBPLGB	USB Charger Plug	Black	Blister	10
USBPLGW	USB Charger Plug	White	Blister	10



- One 1000mA USB charger output, ideal for use with, iPhone, iPad, iPod and other MP3's, Mobile phones, PDA's and Digital Cameras

### USB Charger With Surge Protection

SRGAUSBPB	USB Charger with Plug-through Surge Socket	Polished Black	Window Box	6
SRGAUSBPW	USB Charger with Plug-through Surge Socket	Polished White	Window Box	6



- Two USB charger outputs ideal for use with, iPhone, iPad, iPod and other MP3's, Mobile phones, PDA's and Digital Cameras
- Surge protection via the 13A socket to protect any connected electronic equipment
- £ Unlimited connected equipment warranty

Cat No.	Description	Cable Length	Colour	Display	Inner Carton
<b>Compact Surge Protected Extension Leads With USB Charger</b>					
SRGDU42PB	4 gang surge protected socket with 2 x USB	2 metre	Polished Black	Window Box	6
SRGDU42PW	4 gang surge protected socket with 2 x USB	2 metre	Polished White	Window Box	6
SRGDU62PB	6 gang surge protected with 2 x USB	2 metre	Polished Black	Window Box	6
SRGDU62PW	6 gang surge protected with 2 x USB	2 metre	Polished White	Window Box	6


- Two USB charger outputs ideal for use with, iPhone, iPad, iPod and other MP3's, Mobile phones, PDA's and Digital Cameras
- £ Unlimited connected equipment warranty
- Surge protected 13A sockets with three channel protection and safety

- thermal cut-out
- Convenient space saving design
- Power and surge LED indicators



### Inline Surge Protected Extension Lead With USB Charging

SRGU41PB	4 gang surge protected socket with 2 x USB	1 metre	Polished Black	Window Box	4
SRGU41PW	4 gang surge protected socket with 2 x USB	1 metre	Polished White	Window Box	4



- Two USB charger outputs ideal for use with, iPhone, iPad, iPod and other MP3's, Mobile phones, PDA's and Digital Cameras
- £ Unlimited connected equipment warranty
- Surge protected 13A sockets with three channel protection and safety thermal cut-out
- Power and surge LED indicators



# Indoor Power

Cat No.	Description	Cable Length	Colour	Display	Inner Carton
<b>Energy Saving Master/Slave Extension Leads</b>					
SRPMSTU82PB	Eight gang surge protected socket with 2 x USB	2 metre	Polished Black	Window Box	5



SRPMSTU82PB

- Energy saving - Automatically switches OFF 5 sockets when the Master device is powered down. Two sockets permanently on
- Two USB charger outputs ideal for use with, iPhone, iPad, iPod and other MP3's, Mobile phones, PDA's and Digital Cameras
- Surge protected 13A sockets with three channel protection and safety thermal cut-out
- Includes telecom protection to further protect your equipment from damaging surge or spikes via broadband, ISDN or modem connections
- £ Unlimited connected equipment warranty
- Power and surge LED indicators

<b>Surge Protected Power Centre</b>					
SRPTU82PB	Eight gang surge protected socket with 2 x USB	2 metre	Polished Black	Window Box	5



SRPTU82PB

- Two USB charger outputs ideal for use with, iPhone, iPad, iPod and other MP3's, Mobile phones, PDA's and Digital Cameras
- Surge protected 13A sockets with three channel protection and safety thermal cut-out
- Includes telecom protection to further protect your equipment from damaging surge or spikes via broadband, ISDN or modem connections
- £ Unlimited connected equipment warranty
- Power and surge LED indicators

<b>Surge Protected Power Towers</b>					
SRPTU102PB	Ten gang surge protected socket with 2 x USB	2 metre	Polished Black	Window Box	5
SRPTU122PB	Twelve gang surge protected socket with 2 x USB	2 metre	Polished Black	Window Box	5



SRPTU102PB

SRPTU122PB

- Two USB charger outputs ideal for use with, iPhone, iPad, iPod and other MP3's, Mobile phones, PDA's and Digital Cameras
- Surge protected 13A sockets with three channel protection and safety thermal cut-out
- Includes telecom protection to further protect your equipment from damaging surge or spikes via broadband, ISDN or modem connections
- £ Unlimited connected equipment warranty
- Power and surge LED indicators

## UK Technical Support

Tel: 0845 194 7584

Email: [technical.support@bgelectrical.co.uk](mailto:technical.support@bgelectrical.co.uk)

### UK & European Sales & Distribution Centre

Stafford Park 1  
Telford  
Shropshire  
England  
TF3 3BD

Tel: +44 (0) 1952 238 100  
Fax: +44 (0) 1952 238180  
Email: [sales@bgelectrical.co.uk](mailto:sales@bgelectrical.co.uk)

### Asia Sales, Manufacturing & Distribution

No 1438, Jiachuang Road,  
Xiuzhou Industrial Park,  
Jiaxing, Zhejiang  
China  
P.C. 314031

Tel: +86 (0) 573 8357 0200  
Fax: +86 (0) 573 8357 0248  
Email: [sales@nexus.cn](mailto:sales@nexus.cn)

### US Sales & Distribution

Nexus Innovations Inc  
8300 FM 1960  
West Suite 450  
Houston, Texas  
77070, United States

Tel: +1 281 671 6802  
Fax: +1 281 671 6605  
Email: [us\\_sales@nexusinds.com](mailto:us_sales@nexusinds.com)

### Middle East Sales

Room 114  
Mohd. Abdulla Latif Al Mulla Bldg  
Al Muteena Street  
Deira Dubai, UAE  
PO Box 118704

Tel: +971 4 236 6890  
Fax: +971 4 236 6857  
Email: [mea\\_sales@nexusinds.com](mailto:mea_sales@nexusinds.com)