



White Moulded Wiring Accessories

Available with Round or Square edge profiles. Round edge for a premium feel or Square edge offering exceptional value

Features & Profiles



Features for square profile White Moulded

Switches2
Sockets2
FCUs3
45 Amp Switches4
20/32 Amp Switches5
Shaver Sockets5
Dimmers6
Coax & Satellite7
Accessories8
Telephone & Data8
Blank Plates9

30
YEAR
Guarantee

White Moulded is available in 2 profiles - Nexus Round Edge and Square Edge



*30 Year Guarantee valid for round edge White Moulded. Square edge guarantee is 25 years. See the BG website for full terms and conditions.

White Moulded

Cat No.		Description	Inner Carton	Outer Carton
10 Amp 10AX Plate Switches				
Rounded Edge	Square Edge			
811	911W	1 gang 1 way	10	100
812	912W	1 gang, 2 way	10	100
813	913W	Intermediate switch	10	100
814	914W	1 gang Bell push	10	100
815	915W	Triple pole fan isolator	10	100
842	942W	2 gang, 2 way	10	100
843	943W	3 gang, 2 way	10	100
844	944W	4 gang, 2 way	5	50
846	946W	6 gang, 2 way	5	50

- All switches 10 Amp, 10AX inductive rated
 - Captive terminal screws
 - Terminal capacity 4 x 1.0mm², 4 x 1.5mm², 2 x 2.5mm² & 1 x 4.0mm²
- Plate-switches manufactured to BS EN 60669-1, fan isolator to IEC 60669-2-4
 - Minimum mounting box depth 16mm




10 Amp 10AX Architrave Switches				
Rounded Edge	Square Edge			
847	-	1 gang, 2 way	20	200
848	-	2 gang, 2 way	10	100
849	-	1 gang, 2 way re-tractive marked "PRESS"	20	200

- All switches 10 Amp, 10AX inductive rated
- Captive terminal screws
- Terminal capacity 4 x 1.0mm², 4 x 1.5mm², 2 x 2.5mm² & 1 x 4.0mm²
- Manufactured to BS EN 60669-1
- Minimum mounting box depth 16mm
- Single patress box (837), double patress box (838)

13 Amp Socket Outlets				
Rounded Edge	Square Edge			
821	921	1 gang SP	10	100
821DP	921DP	1 gang DP	10	100
822	922	2 gang SP	5	50
822DP	922DP	2 gang DP	5	50
822DPOB	-	2 gang DP, switcheded, outboard rockers	5	50
823	923	1 gang unswitched	10	100
824	924	2 gang unswitched	5	50
825	925	1 gang switched with indicator	10	100
826	926	2 gang switched with indicators	5	50

- Twin earth fitted as standard
 - Manufactured to BS 1363 Part 2
 - Minimum mounting box depth 25mm
- Terminal capacity 3 x 2.5mm², 3 x 4.0mm² & 2 x 6.0mm²



White Moulded

Cat No.		Description	Inner Carton	Outer Carton
13 Amp Converter Switched Socket Outlet				
Rounded Edge	Square Edge			
822CON	-	1 gang to 2 gang, SP	5	50



- Converts a single socket to a double with no alteration to the wall box
- Minimum mounting box depth 25mm
- Terminal capacity 3 x 2.5mm², 3 x 4.0mm² & 2 x 6.0mm²
- Manufactured to BS 1362 Part 2

RCD Protection				
Rounded Edge	Square Edge			
822RCD	-	13A switched socket, 2 gang	5	50
855RCD	-	13A fused connection unit	10	100



- Maximum load 3120 watts 240V AC
- 30 milli-amp trip speed 40 milli-seconds
- Latching type
- Terminal capacity, 3 x 2.5mm², 2 x 4.0mm² & 1 x 6.0mm²
- Manufactured to BS 7288 : 1990
- 822RCD - Minimum mounting box depth 35mm
- 855RCD - Minimum mounting box depth 35mm
- 855RCD - Removable flex outlet


Combination Plate				
Rounded Edge	Square Edge			
8222EM8	-	Combination plate - 4 gang DP 13A switched sockets & 8 euro module	1	5



- Twin earth fitted as standard
- Manufactured to BS 1363 Part 2
- Terminal capacity 3 x 2.5mm², 3 x 4.0mm² & 2 x 6.0mm²
- Mounting box depth 47mm (HGS07/04)
- *** See our Euro module range, for further Telecom, Data and Co-axial Options**

13 Amp Fused Connection Units				
Rounded Edge	Square Edge			
850	950	Switched and fused	10	100
852	951	Switched and fused with indicator	10	100
-	953	Unswitched with 3 amp fuse	10	100
854	952	Unswitched and fused	10	100
856	-	Unswitched and fused with indicator	10	100


- Manufactured to BS 1363 Part 4
- Angled colour coded terminals with captive screws
- Square edge: Flex-out at lower edge with knock-out for choice
- Terminal capacity 3 x 2.5mm², 2 x 4.0mm² & 1 x 6.0mm²
- Minimum mounting box depth 35mm



White Moulded


Cat No.		Description	Inner Carton	Outer Carton
13 Amp Fused Connection Units - With Flex Outlet				
Rounded Edge	Square Edge			
851	-	Switched & fused	10	100
853	-	Switched & fused with indicator	10	100
855	-	Unswitched & fused	10	100
857	-	Unswitched & fused with indicator	20	200

- Manufactured to BS 1363 Part 4
- Angled colour coded terminals with captive screws
- Terminal capacity 3 x 2.5mm², 2 x 4.0mm² & 1 x 6.0mm²
- Cable entry at lower edge, with removable blanking piece, and reversible cord-grip
- Minimum mounting box depth 25mm



45 Amp Cooker Outlet				
Rounded Edge	Square Edge			
879	979	Flex outlet plate, bottom entry	10	100
880	-	Dual appliance outlet, bottom entry	5	50

- Terminal capacity Single outlet 2 x 10mm²
- Cable entries in bottom edge
- Manufactured to BS 5733



45 Amp Double Pole Switches				
Rounded Edge	Square Edge			
870	970	Cooker control unit with 13A socket & indicators	5	50
871	971	Cooker control unit with 13A socket	5	50
872	972	Large plate, with indicator	5	50
873	973	Large plate	5	50
874	974	Single plate, with indicator	10	100
875	975	Single plate	10	100

- Manufactured to BS 4177 and BS EN 60669 -1
- Cooker Control Units manufactured to BS4177, Double Pole Switches to BS EN 60669-1
- Minimum mounting box depth 47mm
- L & N terminal capacity 4 x 4.0mm², 3 x 6.0mm² & 1 x 16.0mm²
- 10mm spacer available to provide wiring space (817 - Sq, 818 - Rect)



White Moulded

Cat No.		Description	Inner Carton	Outer Carton
25 Amp Flex Outlet Plate				
Rounded Edge	Square Edge			
858	954 (20A)	Bottom entry	10	100



- Cable entry at lower edge, with removable reducer, and reversible cord-grip
- Terminal capacity 3 x 2.5mm² & 1 x 4.0mm²
- Minimum mounting box depth 25mm
- Manufactured to BS 5733

20 Amp and 32 Amp Double Pole Switches				
Rounded Edge	Square Edge			
830	930	20 amp	10	100
831	931	20 amp with indicator	10	100
832	-	20 amp with flex outlet	10	100
832WH	932	20 amp, marked water heater with flex outlet	10	100
833	-	20 amp with indicator & flex outlet	10	100
833WH	933	20 amp, marked water heater, indicator & flex outlet	10	100
-	934	32 amp with indicator	10	100

- 20 Amp Terminal capacity 3 x 1.5mm²
- 32 Amp Terminal capacity 2 x 10mm² & 1 x 10mm² earth
- Colour coded terminals with captive angled screws
- Manufactured to BS EN 60669-1
- Minimum mounting box depth 25mm
- Flex-out at lower edge with reversible cord-grip. Square edge: Flex-out with knock-out for choice Nexus Moulded: Flex outlet versions with removable blanking piece



Shaver Socket				
Rounded Edge	Square Edge			
820	940	115/230V dual voltage shaver socket	5	30




- Terminal capacity 3 x 2.5mm² & 2 x 4.0mm²
- Minimum mounting box depth 47mm
- Manufactured to BS EN 61558-1 and BS EN 61558-2-5 (Square Edge)
- 10mm spacer available to provide wiring space (818 - Rect)

White Moulded

Cat No.		Description	Inner Carton	Outer Carton
Round Pin and Export Socket Outlets				
Rounded Edge	Square Edge			
827	-	1 gang, switched universal socket	10	100
827L	-	1 gang, switched universal socket with indicator	10	100
828	928	1 gang, 2 amp unswitched socket, round pin	10	100
829	929	1 gang, 5 amp unswitched socket, round pin	10	100
-	994	2 gang, 16 amp Euro socket (unshuttered)	10	100
-	995	1 gang, 16 amp Euro socket with switch	10	100
897	997	1 gang, 16 amp shuttered Euro socket	10	100
898	-	2 gang, 16 amp shuttered Euro socket	10	100
899	999	1 gang, 15 amp switched socket, round pin	10	100

- Manufactured to relevant British Standard
- Minimum mounting box depth 25mm




Wall timer switches				
Rounded Edge	Square Edge			
TWE7	-	7 day electronic wall timer switch	5	100



- Daily, weekly and weekday/weekend programs available
- Battery back up memory
- Ideal for home security
- Rating 40 - 400W Tungsten filament lamp
- Terminal capacity 2 x 1.5mm²
- Minimum mounting box depth 16mm
- Switchable mode – Normal light switch or timer


Dimmer Switches - Push Type				
Rounded Edge	Square Edge			
881P	981P	1 gang, 2 way push 400W	10	100
882P	982P	2 gang, 2 way push 400W	10	100
883P	983P	3 gang, 2 way push 400W	5	50
884P	984P	4 gang, 2 way push 400W	5	50
885P	985P	1 gang, 2 way push 1,000W - square plate (export only)	5	50

- Manufactured to BS EN 60669-2-1
- Minimum mounting box depth 25mm
- Suitable for tungsten lamps, low voltage transformers & mains GU10 halogen *
- 10mm spacer available to provide wiring space (817 - Sq, 818 - Rect)
- De-rating required



White Moulded


Cat No.		Description	Inner Carton	Outer Carton
Fan Controller				
Rounded Edge	Square Edge			
887	987	1 gang, 1 way rotary, 400W	10	100



- Manufactured to BS EN 60669-2-1
- Minimum mounting box depth 25mm
- 10mm spacer available to provide wiring space (817 - Sq)

16 Amp Hotel Key Card Switch

Rounded Edge	Square Edge			
8KYCSW*	-	16 amp, hotel key card switch	EM	-



- 50 x 50mm Euro module
- Load Rating - 1800W for resistive 800W for inductive
- 30 second power-off delay
- Locator LED
- Suitable for 32mm mounting boxes
- Colour coded terminals with backed-out and captive screws
- Designed and manufactured to BS EN60669-4
- * Supplied as kit of Euro Module components

Co-Axial, Satellite & Triplex Outlets

Rounded Edge	Square Edge			
860	960	1 gang co-axial socket	10	100
861	961	2 gang co-axial socket	10	100
862	962	1 gang isolated co-axial socket	10	100
863	963	2 gang isolated co-axial socket	10	100
864	964	1 gang satellite socket	10	100
865	965	2 gang satellite & co-axial socket	10	100
866	966	2 gang duplex TV/FM	10	100
867	-	3 gang TV/FM/SAT triplex - screened	10	100
868	-	Triplex with BT outlet & co-axial return - screened	5	50
869*	-	Quadplex, 2 x Sat, BT outlet & co-ax returned - screened	EM	-

- EM = Euro module configuration
- + Supplied as kit of Euro module components
- Co-axial and satellite minimum mounting box depth 25mm

- Manufactured to BS 3041 and BS 5733 where applicable
- Triplex minimum mounting box depth 35mm



Euro Module Front Plates

Rounded Edge	Square Edge			
8EMS1	-	Single euro module, single plate	10	100
8EMS2	-	Twin euro module, single plate	10	100
8EMR4	-	Quad euro module, double plate	5	50



White Moulded


Cat No.		Description	Inner Carton	Outer Carton
Spare Accessories				
Rounded Edge	Square Edge			
8SC10	-	Screw caps, pack of 10	100pks	1000
NFS19/10	NFS19/10	M3.5 x 19mm screws, pack of 10	100pks	1000
NFS28/10	NFS28/10	M3.5 x 28mm screws, pack of 10	100pks	1000
NFS38/10	NFS38/10	M3.5 x 38mm screws, pack of 10	100pks	1000



Telephone and Data Outlets

Rounded Edge	Square Edge			
8BTM/1	9BTM/1	1 gang telephone socket master (screw)	10	100
8BTM/2	9BTM/2	2 gang telephone socket master (screw)	10	100
8BTS/1	9BTS/1	1 gang telephone socket slave (screw)	10	100
8BTS/2	9BTS/2	2 gang telephone socket slave (screw)	10	100
8BTMI/1	9BTMI/1	1 gang telephone socket master (IDC)	10	100
8BTMI/2	9BTMI/2	2 gang telephone socket master (IDC)	10	100
8BTSI/1	9BTSI/1	1 gang telephone socket slave (IDC)	10	100
8BTSI/2	9BTSI/2	2 gang telephone socket slave (IDC)	10	100
8RJ11/1	9RJ11/1	1 gang RJ11 telephone socket (screw)	10	100
8RJ11/2	9RJ11/2	2 gang RJ11 telephone socket (screw)	10	100
8RJ45/1	9RJ45/1	1 gang RJ45 telephone socket (IDC)	10	100
8RJ45/2	9RJ45/2	2 gang RJ45 telephone socket (IDC)	10	100

- Minimum mounting box depth 35mm
- Manufactured to BS 6312 Part 2 where applicable



Telephone Outlets – Surface Mounted

Rounded Edge	Square Edge			
-	TS21	1 gang telephone outlet master (IDC)	20	200
-	TS23	1 gang telephone outlet slave (IDC)	20	200
-	TS24	1 gang telephone outlet master (screw)	20	200
-	TS26	1 gang telephone outlet slave (screw)	20	200



- Manufactured to BS 6312-2

White Moulded

Cat No.		Description	Inner Carton	Outer Carton
Surface Boxes and Blank Plates				
Rounded Edge	Square Edge			
891	901	1 gang surface pattress for socket outlet 32mm	10	100
892	902	2 gang surface pattress 32mm	5	50
893	903	1 gang pattress with earth terminal for plate switches 19mm	10	100
894	904	1 gang blank plate	20	200
895	905	2 gang blank plate	10	100
-	906	10 way connection unit	5	50
896	909	Dual surface pattress, 37mm	5	50
-	910	1 gang to 2 gang conversion pattress, 20mm	5	50
817	-	1 gang, 10mm square spacer	20	200
818	-	2 gang, 10mm rectangular spacer	10	100
836	-	1 gang architrave blank plate	20	200
837	-	1 gang architrave surface box, 19mm	20	200
838	-	2 gang architrave surface box, 19mm	10	100
877	977	1 gang surface box, 50mm (877), 45mm (977)	10	100
878	978	2 gang surface box, 50mm (878), 45mm (978)	5	50

- Surface boxes have multiple knock-outs and earth terminal fitted as standard
 - Manufactured to BS 5733
- Spacers provide greater clearance for installation wiring where shallow mounting boxes are used, an alternative to fitting a deeper box




White Moulded

Euro Module - Range Extension

A flexible solution of power, data, telephone, television and audio combinations to suit the wide ranging needs of the customer.


- Select the desired combination of front-plate and module(s).
- Simple installation, wire the module through the front-plate aperture then push click the module in place.



Grid - Range Extension

A customisable selection of power grid modules that provide a seamless appearance with the associated wiring accessories.

- Firstly, screw the grid frame to the mounting box and wire the modules
- Then slot the module on to the frame and click into place
- Finally, fit the finished plate





a Nexus Industries Ltd. Group company



UK Technical Support

Tel: 0845 194 7584

Email: technical.support@bgelectrical.co.uk

UK & European Sales
& Distribution Centre

Stafford Park 1
Telford
Shropshire
England
TF3 3BD

Tel: +44 (0) 1952 238 100
Fax: +44 (0) 1952 238 180
Email: sales@bgelectrical.co.uk

Asia Sales, Manufacturing
& Distribution

No 1438, Jiachuang Road,
Xiuzhou Industrial Park,
Jiaxing, Zhejiang
China
P.C. 314031

Tel: +86 (0) 573 8357 0200
Fax: +86 (0) 573 8357 0248
Email: sales@nexus.cn

US Sales
& Distribution

Nexus Innovations Inc
8300 FM 1960
West Suite 450
Houston, Texas
77070, United States

Tel: +1 281 671 6802
Fax: +1 281 671 6605
Email: us_sales@nexusinds.com

Middle East
Sales

Room 114
Mohd. Abdulla Latif Al Mulla Bldg
Al Muteena Street
Deira Dubai, UAE
PO Box 118704

Tel: +971 4 236 6890
Fax: +971 4 236 6857
Email: mea_sales@nexusinds.com

www.bgelectrical.co.uk