



Work Power Leads & Reels

240V and 110V, ideal for use with power
tools and portable lighting
- in the workshop and on-site

Features



Cable Reels



Case Reels



Plugs, Adaptors
& Trailing Sockets



RCD Protection

Heavy Duty Plugs	167
Trailing Sockets	167
In Line Connectors	168
Extension Leads	169
Cassette Reels	170
Cable Reels	171
RCD Protection	172
110v	173



Including 110v
Site Equipment



Page 173

Cable & case reels, Extension lead,
Transformer, Adaptors, plugs & sockets

Thermal Cut-out Protection



All Masterplug cassette, cable and case reels incorporate
safety Thermal Cut-out Protection

This feature cuts the power in overload situations. Once
cooled, the switch can be reset to return power

Cat No.	Description	Colour	Inner Carton	Outer Carton
Heavy Duty Plugs				
HDPT13B	Heavy duty plug, 13A	Black	10	100
HDPT13O	Heavy duty plug, 13A	Orange	10	100
HDPT13W	Heavy duty plug, 13A	White	10	100
HDPT15B	Heavy duty 15A round pin plug with sleeved pins	Black	10	100

- Manufactured to BS 1363 / A (13A)
- Manufactured to BS 546 (15A)
- Supplied in counter display box
- Supplied with 13A fuse to BS1362
- Heavy duty construction



HDPT13B



HDPT13O



HDPT13W

One Gang 13 Amp Trailing Sockets				
ELS13B	One gang trailing socket	Black	10	100
ELS13O	One gang trailing socket	Orange	10	100
ELS13W	One gang trailing socket	White	10	100

- Manufactured to BS1363 / A
- Supplied in counter display box
- Heavy duty construction



ELS13B



ELS13O



ELS13W

Two Gang 13 Amp Trailing Sockets				
ELS132B	Two gang trailing socket	Black	1	50
ELS132O	Two gang trailing socket	Orange	1	50
ELS132W	Two gang trailing socket	White	1	50

- Manufactured to BS1363 / A
- Supplied in counter display box
- Heavy duty construction
- Sockets with wall mount option



ELS132B



ELS132O



ELS132W

Cat No.	Description	Colour	Inner Carton	Outer Carton
Four Gang 13 Amp Trailing Sockets				
ELS134B	Four gang trailing socket with power indicator	Black	1	25
ELS134O	Four gang trailing socket with power indicator	Orange	1	25
ELS134W	Four gang trailing socket with power indicator	White	1	25

- With replaceable fuse
- Manufactured to BS1363 / A
- Supplied in counter display box
- Power indicator
- Heavy duty construction
- Sockets with wall mount option
- Supplied with 13A fuse fitted



5 Amp / 15 Amp Trailing Sockets				
ELS15B	One gang heavy duty 15 amp round pin trailing socket	Black	10	100
ELS5B	One gang heavy duty 5 amp round pin trailing socket	Black	10	100

- Manufactured to BS546



10 Amp In Line Connectors				
NC102B	Two round pin 10 amp connector (reversible)	Black	10	100
NC102O	Two round pin 10 amp connector (reversible)	Orange	10	100
NC103B	Three round pin 10 amp connector (non reversible)	Black	10	100
NC103W	Three round pin 10 amp connector (non reversible)	White	10	100

- Manufactured to BS 5733
- Supplied in counter display box



Cat No.	Description	Pins	Colour	Outer Carton
10 Amp In Line Connector Halves				
NC102PO	Plug Side	Two Pin	Orange	250
NC102SO	Socket Side	Two Pin	Orange	250
NC102PB	Plug Side	Two Pin	Black	250
NC102SB	Socket Side	Two Pin	Black	250
NC103PW	Plug Side	Three Pin	White	250
NC103SW	Socket Side	Three Pin	White	250
NC103PB	Plug Side	Three Pin	Black	250
NC103SB	Socket Side	Three Pin	Black	250

- Manufactured to BS 5733



Cat No.	Description	Cable Length	Display	Colour	Outer Carton
One Gang 13 Amp Extension Leads					
EXS1315B	One gang heavy duty lead	5 metre	bag	Black	10
EXS1315O	One gang heavy duty lead	5 metre	bag	Orange	10
EXS1315W	One gang heavy duty lead	5 metre	bag	White	10
EXS13110B	One gang heavy duty lead	10 metre	bag	Black	10
EXS13110O	One gang heavy duty lead	10 metre	bag	Orange	10
EXS13110W	One gang heavy duty lead	10 metre	bag	White	10

- Manufactured to BS1363 / A
- Heavy duty construction
- 1.25mm² cable
- Sockets with wall mount option



Two Gang 13 Amp Extension Leads					
EXS1324B	Two gang heavy duty lead	4 metre	bag	Black	10
EXS1324O	Two gang heavy duty lead	4 metre	bag	Orange	10
EXS1324W	Two gang heavy duty lead	4 metre	bag	White	10



- Manufactured to BS1363 / A
- 1.25mm² cable
- Heavy duty construction
- Sockets with wall mount option

Work Power

Cat No.	Description	Cable Length	Display	Colour	Outer Carton
Four Gang 13 Amp Extension Leads					
EXS1342B	Four gang heavy duty lead	2 metre	bag	Black	10
EXS1342O	Four gang heavy duty lead	2 metre	bag	Orange	10
EXS1342W	Four gang heavy duty lead	2 metre	bag	White	10
EXS1344B	Four gang heavy duty lead	4 metre	bag	Black	10
EXS1344O	Four gang heavy duty lead	4 metre	bag	Orange	10
EXS1344W	Four gang heavy duty lead	4 metre	bag	White	10

- With power neon indicator and replaceable fuse
- 1.25mm² cable
- Manufactured to BS1363 / A

- Heavy duty construction
- Sockets with wall mount option



Cat No.	Description	Amperage	Number of sockets	Plug Type	Outer Carton
Small Cassette Reels					
SCT0410/2BL	4 metre	10 amp	2	10 amp	10
SCT0413/4W	4 metre, white	13 amp	4	13 amp	5
SCT0510/4BL	5 metre	10 amp	4	10 amp	5



- Thermal cut-out protection
- Manufactured to BSEN61242

Medium Cassette Reels					
MCT0813/4BL	8 metre	13 amp	4	13 amp	10
MCT1010/4BL	10 metre	10 amp	4	10 amp	10



- Thermal cut-out protection
- Manufactured to BS EN61242

Work Power

Cat No.	Description	Amperage	Number of sockets	Plug Type	Outer Carton
Large Cassette Reels					
LCT1213/4BL	12 metre	13 amp	4	13 amp	10
LCT1510/4BL	15 metre	10 amp	4	10 amp	10



- Thermal cut-out protection
- Manufactured to BSEN61242
- If a 10A reel - fitted with a 10 amp plug

Case Reels					
HST1613/4BL	16 metre	13 amp	4	13 amp	6
HST1510/2BL	15 metre	10 amp	2	10 amp	2
HBT2013/4BL	20 metre	13 amp	4	13 amp	6
HBT2013/4BLRCD	20 metre	13 amp	4	RCD	6
HBT2513/4BL	25 metre	13 amp	4	13 amp	6

- Thermal cut-out protection

- Manufactured to BSEN61242



Open Cable Reels					
MOC2010/2BL	20 metre small reel	10 amp	2	10 amp	3
LDCC2510/2BL	25 metre medium reel	10 amp	2	10 amp	2
LDCC2513/4BL	25 metre medium reel	13 amp	4	13 amp	1
LDCC2513/4BLRCD	25 metre medium reel	13 amp	4	RCD	1
LDCC3013/4BL	30 metre medium reel	13 amp	4	13 amp	1
HDCC4013/4BL	40 metre large reel	13 amp	4	13 amp	1
HDCC4010/4BL	40 metre large reel	10 amp	4	13 amp	1
HDCC5013/4BL	50 metre large reel	13 amp	4	13 amp	1

- Thermal cut-out protection
- Strong zinc plated steel frame

- Manufactured to BSEN61242



Work Power

Cat No.	Description	Amperage	Number of sockets	Plug Type	Inner Carton
Universal Cable Reels (Export Only)					
SOT0510/4UNBL	5 metre small cassette reel	10 amp	4	13 amp	2
MCT1010/4UNBL	10 metre medium cassette reel	10 amp	4	13 amp	1
SOC1513/4UNBL	15 metre small open reel	13 amp	4	13 amp	1



SOC1513/4UNBL

- Thermal cut-out protection
- Strong zinc plated steel frame
- Power indicator

Non-Latching RCD Safety Adaptor

ARCDKG	RCD safety adaptor	10
--------	--------------------	----



ARCDKG

- 13 amp fused
- Added protection against fatal electric shocks
- Maximum load 3120 watts 240V AC 30 milli-amp trip speed 40 milli-seconds (typical) double pole contact break
- Manufactured to BS 7071 1992t

There are 2 types of RCD - **Latching** and **Non-Latching**; also termed active & passive. Both types are accepted by British Standards and it is up to the user to choose the type of RCD most suitable for their application.

NON-LATCHING (active) RCD's switch off when the power to them is turned off. Every time the supply to the RCD is interrupted it will trip and will need to be reset.

LATCHING (passive) RCD's "remember" the state they were in prior to the power being switched off.

Site Power

Cat No.	Description	Amperage	Number of sockets	Plug Type	Inner Carton
110 Volt Cable Reel					
LVCT2516/2	25 metre	16 amp	2	110 volt	1
LVCT5016/2	50 metre	16 amp	2	110 volt	1



- Thermal cut-out prevents risk of fire due to temperature rise caused by power overload
- Strong, robust stand
- Power neon indicator
- Fitted with 1.5mm² 16 amp yellow cable
- Manufactured to BS EN 61242 & BS EN 60309

110 Volt Case Reel					
LVHLT2516/2	25 metre	16 amp	2	110 volt	1



- Thermal cut-out prevents risk of fire due to temperature rise caused by power overload
- Robust case
- Power neon indicator
- Fitted with 1.5mm² 16 amp yellow cable
- Manufactured to BS EN 61242 & BS EN 60309

110 Volt Extension Lead					
LVIL15	In-line 110V plug & socket with cable tidy, 15 metre				4



- Manufactured to BS EN 60309
- Fitted with 1.5mm² 16 amp yellow cable

110 Volt Multi-Socket Adaptor					
LVMS3	16A low voltage 3-way multi-socket				6



- Manufactured to BS EN 60309

