



EATON

Powering Business Worldwide

Product Overview

General Characteristics


Our inspirations are our customer's expectations and our mission is to meet them and provide satisfaction through quality products, services & delivery.

Eaton xBoard range of distribution solutions is the basis for development and growth in meeting all the demands for a successful future in residential, commercial and infrastructure segments.



Specifications

- Sheet steel enclosure for single phase distribution
- Designed as per new standard : IEC 61439
- Flush and surface mounting design with IP40 protection
- Colour : As standard RAL 7035, other colours available upon request
- Fitted with sheet steel removable flap door
- Available with or without busbar assembly
- Complete with earth and neutral bars
- Enclosure thickness : 1.2mm




Consumer Unit – SPN DBs

Ordering & Dimension Details

Type	Current Rating	Type of Mounting	SP out going ways	Ref Part Number	Dimension(mm) H*W*D
SPN DBs Provision for 2P incomer	100 A	Flush	4	XBSP04SDFB	235*221*70
			6	XBSP06SDFB	235*255*70
			8	XBSP08SDFB	235*289*70
			10	XBSP10SDFB	235*323*70
			12	XBSP12SDFB	235*357*70
			14	XBSP14SDFB	235*391*70
			16	XBSP16SDFB	235*425*70
		Surface	4	XBSP04SDSB	220*206*70
			6	XBSP06SDSB	220*240*70
			8	XBSP08SDSB	220*274*70
			10	XBSP10SDSB	220*308*70
			12	XBSP12SDSB	220*342*70
			14	XBSP14SDSB	220*376*70
			16	XBSP16SDSB	220*410*70
SPN DBs Provision for 2P+2P incomer	100 A	Flush	4	XBSP04SDRFB	235*255*70
			6	XBSP06SDRFB	235*289*70
			8	XBSP08SDRFB	235*323*70
			10	XBSP10SDRFB	235*357*70
			12	XBSP12SDRFB	235*391*70
			14	XBSP14SDRFB	235*425*70
			16	XBSP16SDRFB	235*459*70
		Surface	4	XBSP04SDRSB	220*240*70
			6	XBSP06SDRSB	220*274*70
			8	XBSP08SDRSB	220*308*70
			10	XBSP10SDRSB	220*342*70
			12	XBSP12SDRSB	220*376*70
			14	XBSP14SDRSB	220*410*70
			16	XBSP16SDRSB	220*444*70
SPN DBs w/o Busbar	100 A	Flush	4	XBSP04SDFX	235*221*70
			6	XBSP06SDFX	235*255*70
			8	XBSP08SDFX	235*289*70
			10	XBSP10SDFX	235*323*70
			12	XBSP12SDFX	235*357*70
			14	XBSP14SDFX	235*391*70
			16	XBSP16SDFX	235*425*70
		Surface	4	XBSP04SDSX	220*206*70
			6	XBSP06SDSX	220*240*70
			8	XBSP08SDSX	220*274*70
			10	XBSP10SDSX	220*308*70
			12	XBSP12SDSX	220*342*70
			14	XBSP14SDSX	220*376*70

Consumer Unit – SPN DBs

Part No. Reference



Middle East Headquarters
Eaton Electric
Dubai World Trade Center
Level 16, P.O.Box 9398
Dubai, United Arab Emirates
Tel : +971 4 331 3938
Fax: +971 4 332 9239